PAGE: 1 of 3

PRINT DATE: 31/07/2002

SAFETY DATA SHEET

REF: M32

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product name: Weartec - Activator

Supplier: MMP-International, Division

of ITW Ltd.

Brunel Close, Park Farm

Ind Est,

Wellingborough, Northants,

NN8 6QX

Emergency telephone number: +44 (0) 1933 670870 **Fax No:** +44 (0) 1933 670800

2. COMPOSITION/INFORMATION ON INGREDIENTS

Identification of the preparation

Chemical Name CAS-No EEC-No Class Weight

%

EPOXY AMINE ADDUCT Xn; R22, R36/38 10-20

3. HAZARDS IDENTIFICATION

Most important hazards: Harmful if swallowed.

Specific hazards May cause sensitisation by skin contact.

4. FIRST AID MEASURES

Inhalation: Move to fresh air. Consult a physician.

Skin contact: Wash off immediately with soap and plenty of water.

Eye contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a

physician.

Ingestion: Do not induce vomiting. Drink plenty of water. Never give anything by mouth to

an unconscious person. Consult a physician.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

Specific hazards: carbon oxides and nitrogen oxides (NOx). Ammonia.

Special protective equipment for firefighters: In the event of fire, wear self contained

breathing apparatus

Specific methods: Standard procedure for chemical fires.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Use personal protective equipment.

Environmental precautions: Do not let product enter drains.

Methods for cleaning up: Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust).

7. HANDLING AND STORAGE

Handling: Avoid contact with skin, eyes and clothing. Wash hands and face before breaks and

immediately after handling the product.

Storage: Keep containers tightly closed in a dry, cool and well-ventilated place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Chemical Name: National occupational exposure limits

(British COSHH - EH40):

EPOXY AMINE ADDUCT

Engineering measures

PAGE: 2 of 3

Product name: Weartec - Activator PRINT DATE: 31/07/2002

REF: M32

- **Respiratory protection:** In case of insufficient ventilation wear suitable respiratory

equipment

Hand protection: solvent-resistant gloves (butylrubber)
 Eye protection: safety glasses with side-shields
 Skin and body protection: lightweight protective clothing

Hygiene measures: Wash hands before breaks and immediately after handling the

product

9. PHYSICAL AND CHEMICAL PROPERTIES

Form: liquid Colour: Coloured Odour: ammoniacal

g/I H2O)

Boiling point/range: >100 °C **Flash point:** None °C

Vapour pressure: <1 mBar

Relative density: - lower 1.3 g/cm³

10. STABILITY AND REACTIVITY

Materials to avoid: strong acids and strong bases, and oxidizing agents

Hazardous decomposition products: carbon oxides.

11. TOXICOLOGICAL INFORMATION

Acute toxicity: LD50/oral/rat = <511 mg/kg

Sensitization: May cause sensitization by skin contact.

12. ECOLOGICAL INFORMATION

Mobility: Do not let product enter drains.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products: In accordance with local and national regulations.

Contaminated packaging:

European waste Catalogue No: 08 04 99

14. TRANSPORT INFORMATION

Proper shipping name: Not classified as dangerous in the meaning of transport

regulations: UN, ADR/RID, IMO & IATA/ICAO.

15. REGULATORY INFORMATION

Classification according to European directive on classification of hazardous preparations 93/21/EEC

- Contains: EPOXY AMINE ADDUCT

- Symbol(s):



Xn - Harmfu

R-phrase(s): R22 - Also harmful if swallowed.. R41 - Risk of serious damage to eyes.. **S-phrase(s):** S25 - Avoid contact with eyes.. S26 - In case of contact with eyes, rinse

immediately with plenty of water and seek medical advice.. S37/39 - Wear suitable gloves and eye/face protection. S45 - In case of accident or if you feel unwell, seek

medical advice immediately (show the label where possible)..

16. OTHER INFORMATION

Recommended use:

Recommended restrictions:

Product name: Weartec - Activator

PAGE: 3 of 3
PRINT DATE: 31/07/2002

REF: M32

When used in a mixture, read the labels and safety data sheets of all components.

Revision date: 15/07/2002

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication